

# **Ampholak XCE**

Non-label amphoteric surfactant – hydrotrope and foamer.

# **Specifications**

Color	≤ 500 Hazen, 20% in water
рН	8.0 – 10.0 (20% in water)
Salt content	9.5 - 11.0 %
Solid content	39 - 41 %

## Characteristics

Appearance	Clear liquid at 20°C
Clear point	-10 °C
Density	1143 kg/m³ at 25°C
Foam Height according to Ross-Miles, 50°C, 0.05%	immediately: 150 mm after 5 min: 150 mm
Pour point	-17 °C
Surface Tension according to Du Noüy	36 mN/m at 25°C, 0.1%
Viscosity	50 mPa s at 20°C
Water content	59%
Wetting power according to Draves, 25°C, 0.1%	150 sec
Solubility: Ethanol	Insoluble
Solubility: Isopropyl alcohol	Insoluble
Solubility: Low aromatic solvent	Insoluble
Solubility: Propylene glycol	Soluble
Solubility: Water	Soluble
Solubility: White spirit	Insoluble
Solubility: Xylene	Insoluble

#### Notes:

 $Typical\ Data\ are\ based\ on\ our\ own\ measurements\ or\ derived\ from\ the\ literature.\ They\ do\ not\ constitute\ part\ of\ the\ delivery\ specification.$ 

## Storage

Ampholak XCE should always be homogenized before use. If the product is stored at a temperature above 50-60°C for several days, or exposed to light for several weeks, a slight degradation in colour may occur.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

AMPHOLAK is a registered trademark in many countries.

### Contact Us

#### USA and Canada

Global Headquarters
Chicago
USA
+1 312 544 7000
ansc-cs@nourvon.com

#### China

Regional Headquarters Shanghai China +86 21 2220 5000 surfactants.asia@nouryon.com

#### Europe

Regional Headquarters
Stenungsund
Sweden
+46 303 850 00
surfactants.europe@nouryon.com

#### South East Asia

Regional Headquarters
Singapore
+65 6635 5183
surfactants.asia@nouryon.com

#### South America

Regional Sales Office Itupeva Brazil +55 11 4591 8938

