Ethylan 1003 C10 + 3.5 EO

Ethylan 1003 is a nonionic surfactant based on a synthetic primary alcohol.

Specifications

Nouryon

Cloud point	31-34 (5g product in 25 ml 25% butyldiglycol) °C
Color	≤ 200 Hazen
pH	7 - 9.5
Water content	≤1%

Characteristics

Active content	100 %
Appearance	Liquid at 20°C
Density	970 kg/m3 at 20°C
Flash point	≥100°C
Foam Height according to Ross-Miles, 50°C, 0.05%	immediately: 5 mm after 5 min: 0 mm
HLB	10 (Griffin)
Pour point	-17 °C
Surface Tension according to Du Noüy	27.0 mN/m at 25°C, 0.1%
Viscosity	30 mPa.s at 20°C
Viscosity Wetting power according to Draves, 25°C, 0.1%	30 mPa.s at 20°C 4 sec
•	
Wetting power according to Draves, 25°C, 0.1%	4 sec
Wetting power according to Draves, 25°C, 0.1% Solubility: 2-propanol	4 sec Soluble
Wetting power according to Draves, 25°C, 0.1% Solubility: 2-propanol Solubility: Ethanol	4 sec Soluble Soluble
Wetting power according to Draves, 25°C, 0.1% Solubility: 2-propanol Solubility: Ethanol Solubility: Low aromatic solvent	4 sec Soluble Soluble Soluble

Notes:

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

ETHYLAN is a registered trademark in many countries.

Contact Us

USA and Canada

Global Headquarters Chicago USA +1 312 544 7000 ansc-cs@nourvon.com

China

Regional Headquarters Shanghai China +86 21 2220 5000 surfactants.asia@nouryon.com

Europe

Regional Headquarters Stenungsund Sweden +46 303 850 00 surfactants.europe@nouryon.com

South East Asia

Regional Headquarters Singapore +65 6635 5183 surfactants.asia@nouryon.com

South America

Regional Sales Office Itupeva Brazil +55 11 4591 8938

Nouryon